UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/583,406	05/31/2000	Heather Maria Hinton	AUS990922US1	3011

7590	02/09/2005

LAW OFFICE OF JOSEPH R. BURWELL
P.O. BOX 28022
AUSTIN, TX 78755-8022

EXAMINER
SON, LINH L D

ART UNIT	PAPER NUMBER
2135	

DATE MAILED: 02/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
Office Action Summary	09/583,406	HINTON ET AL.
	Examiner	Art Unit	
	Linh Son	2135	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>3</u> MONTH(S) FROM
THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
  after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
  earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) ☒ Responsive to communication(s) filed on *31 May 2000*.

2a) ☐ This action is **FINAL**.   2b) ☒ This action is non-final.

3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) ☒ Claim(s) *1-35* is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) ☐ Claim(s) _____ is/are allowed.

6) ☒ Claim(s) *1-35* is/are rejected.

7) ☐ Claim(s) _____ is/are objected to.

8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) ☐ The specification is objected to by the Examiner.

10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a) ☐ All   b) ☐ Some * c) ☐ None of:

        1. ☐ Certified copies of the priority documents have been received.

        2. ☐ Certified copies of the priority documents have been received in Application No. _____.

        3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage
application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
    Paper No(s)/Mail Date _____.

4) ☐ Interview Summary (PTO-413)
    Paper No(s)/Mail Date. _____ .

5) ☐ Notice of Informal Patent Application (PTO-152)

6) ☐ Other: _____.

DETAILED ACTION

1.   Examiner acknowledges and considers the formal drawing received on

03/08/2001.

Claim Rejections - 35 USC § 102

2.   The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that

form the basis for the rejections under this section made in this Office action:

> A person shall be entitled to a patent unless –
>
> (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3.   Claims **1, 18, 23, and 27** are rejected under 35 U.S.C. 102(e) as being

anticipated by Bachman et al, US Patent No. 5907621, hereinafter "Bachman".

4.   As per **claims 1, 18, and 23**, Bachman discloses "a method for determining

whether to allow access to a protected resource from a server, comprising the steps of:

at a client, responsive to a request to retrieve the protected resource, generating a one-

time only use piece of data (the random number is the unique and the non-repeat piece

of data for the session cookie) which can be used to authenticate that the request is

bound to a given identity contained in a cookie previously set by an authentication

server; Forwarding the piece of data to the server in the request; at the server,

determining whether the piece of data is valid" in (Col 2 lines 10-25, and Col 3 line 34 to

Col 4 line 10); and Bachman teaches "if the piece of data is valid, executing an access

control decision to determine whether to invoke the request" in (Col 4 lines 19-28).

5.   As per **claim 27**, Bachman teaches "the computer program product as described

in claim 23 further including code for saving the timestamp and the authentication token

in a data structure to prevent replay of the authentication token" in (Col 5 lines 30-64).

Claim Rejections - 35 USC § 103

6.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

7.   *Claims 11 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable*

over Bachman.

8.   As per **claims 11**, Bachman discloses "a method of accessing a protected

resource at a server, comprising the steps of: at the server, receiving a request for a

URL (hypertext link in Col 3 lines 57-60) together with the one-time use token

associated with the request; determining whether the authentication token is valid; if the

authentication token is not valid, returning to a requesting client an access denied

message; and if the authentication token is valid, executing an access decision function

to determine whether to allow access to the protected resource" in (Col 3 line 35 to Col

4 line 10 and Col 5 line 30 to Col 6 line 9). However, Bachman does not teach the

request include an identity cookie and an authentication token specifically.

Nevertheless, Bachman teaches the token does have both identity and authentication

information necessary to validate the identity of the user and the one-time use token.

The Ek(f(ID), R, I) is the one-time use authentication token. The f(ID) is to authenticate

the user using the identity (Col 35-50). Therefore, it would have been obvious at the

time of the invention was made for one having ordinary skill in the art to realize that

Bachman invention does carry the steps for authentication utilizing one token which

includes both identity token and the authentication information.

9.   As per **claim 14**, Bachman teaches "the method as described in claim 11

wherein the identity cookie includes a userid, an optional access control token, and a

URL pointing to a location that includes a script" in (Col 5 lines 30-50, and Col 5 line 64

to Col 6 line 10).

10.   *Claims 2-4, 12-13, 20-22, and 24-25 are rejected under 35 U.S.C. 103(a) as*

being unpatentable over **Bachman** *in view of Davis et al (US-6064736) and further*

in view of Payne et al (US-5715314).

11.   As per **claim 2**, Bachman discloses the method as described in claim 1, further

Bachman discloses the one-time only use piece of data is generated by applying a

given function to a nonce generated by the a server, and the client's identity (Col 3 lines

34-48). However, Bachman does not teach that the piece of data includes a URL of the

protected resource, a timestamp, and the server identity. Nevertheless, Davis et al

teach the use of hashing the nonce from the server, and the PW' (password of the user

which is the client id) with the server's name (Server ID) to create the secretHash key

(Col 6 lines 1-5) for authentication; And Payne et al teach the use of URL hashing (Col

5 lines 40-45) for authentication. Therefore, it is obvious at the time of the invention was

made for one having ordinary skill in the art to combine Bachman, Linden et al, Davis et

al, and Payne et al's teaching to strengthening the security of the piece of data usage

by using the timestamp and a non-repeating random number with the URL, userid, and

server id. Further more, the use of a nonce and timestamp together will definitely

restrict the piece of data usage to only one time.

12.   As per **claims 3, 12, 20, and 24**, Bachman, Linden et al, and Davis et al disclose

the method as described in Claims 2, 11, and 18. However, Bachman, Linden et al, and

Davis et al do not teach the function get calculated with a given key to become the

Message authentication code (MAC) for authentication. Nevertheless, Payne et al do

teach the feature. Payne et al disclose the invention "Network sales system" which

uses the key to define the hash function of the information in the payment URL to

generate the URL authenticator (Col 5 lines 40-45). The URL authenticator is the

message authentication code (MAC). Adding the nonce and the timestamp to generate

the MAC will definitely prevent the replay of the cookie; The URL can be interpreted as

the server identity and the client identity must also necessary in-order to authenticate

the server and to distinct the originality of the cookie. Therefore, It is obvious at the time

of the invention was made for one having ordinary skill in the art to understand that the

combination of the teaching above will increase the security for accessing a protected

resource. It is also obvious that a program code or a script in a computer medium is

necessary to execute the calculation.

13.   As per **claims 4, 13, 21-22, and 25**, Bachman teaches the method as described

in claim 3 wherein the given key is a symmetric key ksc that is binds the piece of data to

the user identity contained in the identity cookie (Col 5 lines 30-62).

14.   Claims 5 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable

over Bachman in view of Linden et al, further in view of Davis et al, further in view

of Payne et al, further in view of Juels, and further in view of Gurevich et al (US-

2002/0178370).

15.   As per **claim 5**, Bachman, Linden et al, Davis et al, Payne et al, and Juels

discloses the method as described in Claim 4. However, they do not teach the

symmetric key that is generated by applying a one-way hash function to a shared

client-server key kc, the server identity, and a nonce from the server. Nevertheless,

Gurevich et al completely teach this method and the use of it as a symmetric key (Par

0068 in the mid paragraph). The token key and the PIN are used as an encryption key

between the server and the client. The SKP is the server side key component

generated by a random number engine, at the same is the server key or can be

interpreted as server identity (Para 0068). It would be obvious at the time of the

invention was made for one having ordinary skill in the art to combine the symmetric key

generation method of Gurevich et together with inventors in claim 4. The incorporation

will successfully create a strong and unique key to bind the authentication data securely

and then transmit it to the server for authentication (Para 0069).

16.   As per **claim 6**, Bachman, Linden et al, Davis et al, Payne et al, Jues and

Gurevich et al disclose the method as described in Claim 5. The feature of the shared

client-server key generated by applying a one-way hash function to a user password is

completely anticipated by Davis et al (Col 2 lines 15-25). Davis et al teach the use of

hashed password to establish a session between the server and the client to ensure

unwanted intruders. It is obvious at the time of the invention was made for one having

ordinary skill in the art to recognize that the feature is necessary to incorporate with

authentication mechanism to a network for strengthening the security.

17.   Claims 15, and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable

Bachman *in view of Linden et al, further in view of Davis et al, further in view of*

Payne et al (US-5715314), and further in view of Juels (US-6446052).

18.   As per **claims 15 and 26**, Bachman, Linden et al, Davis et al, Payne et al and

Juels disclose the method as described in Claims 12 and 25 wherein the step of

determining whether the authentication token is valid includes the steps of: calculating a

message authentication code; evaluating whether the message authentication code is

the same as the MAC in the authentication token. It is obvious at the time of the

invention was made for one having ordinary skill in the art to understand that the

validation steps of authentication token must be the backward process of the

engineering the token in-order to understand the received information. Therefore, it is

obviously exist in the system.

19.   *Claims 16-17, and 27 are rejected under 35 U.S.C. 103(a) as being*

unpatentable over Bachman and Linden et al (US-6360254).

20.   As per **claims 16, 17, and 27**, Bachman disclose the computer program product

as described in Claim 23. Howerver, Bachmando not further including code for saving

the timestamp and the authentication token in a data structure to prevent replay of the

authentication token. Nevertheless, Linden et al disclose the "System and method for

providing secure URL-Based access to private resources" invention that completely

teaches the feature (Col 6 lines 51-55). The token here is generated either of a

timestamp, server identification (hardware device pseudo-random sequence of value

(Col 5 lines 2-5)), userid, timestamp, or even a random number (Col 4 lines 63-67). It is

obvious at the time of the invention was made for one having ordinary skill in the art to

incorporate the feature in the claimed invention for security purpose.

21.   Claims 7-10, and 19 are rejected under 35 U.S.C. 103(a) as being

unpatentable over Bachman in view of Grantges, Jr. et al, US Patent No 6510464,

hereinafter "Grantges".

22.   As per claims 7-10, Bachman discloses the method as described in claim 1

wherein the cookie includes a userid (Col 5 line 35). However, Bachman does not

discloses the cookie includes the server identity, a URL pointing to a location at the

server that includes a script, an access control token, code for verifying the piece of

data. Nevertheless, Grantges does teach a userid, the server identity, and a URL

pointing to a location at the server that includes a script (Col 10 lines 6-25), and an

access control token (Col 10 lines 11-13). The authentication cookie (Col 9 line 55)

includes a user digital certificate (userID) and a range of URL's for which the cookie is

valid (Col 9 lines 62-65). The URL is also use to identify the server (Server Identity)

(Col 10 line 51). The script is located on the proxy server, which is in the same domain

or network as the application server or called protected resource (Col 8 lines 15-25),

also called authorization plug-in (Col 10 line 59-61); and its job is to validate the

authentication cookie. The access control token is referred as an applications list

cookie (Col 10 line 15), which includes a list of authorized application for the user to

access. Therefore, It would have been obvious at the time of the invention was made

for one having ordinary skill in the art to modify Bachman's invention to include the

same system as Grantges' in their invention to carry out an authorization process for the

protected resource.

23.   As per **claim 19**, Bachman discloses the computer program product as described

in Claim 18. However, Bachman does not teach a signed applet for installing the code

in the client computer. Nevertheless, Grantges does teach this feature in (Col 4 lines

33-65). It would have been obvious at the time of the invention was made for one

having ordinary skill in the art to modify Bachman's invention to include the signed

applet for installing the code in the client computer to have a capability to view the

protected resource according to the format.

24.   *Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over*

Bachman *in view of Davis et al, further in view of Gurevich et al, and further in*

view of Payne et al.

25.   As per claim 28, Bachman teaches "a method for issuing an access request from

a client browser to a server hosting a protected resource, wherein an identity cookie has

been set on the client browser by an authentication server" in (Col 5 line 30 to Col 6 line

10). However, Bachman does not teach what the method comprises of. Nevertheless,

Payne et al disclose the "Network sales system" invention includes the uses a key

shared by the merchant (server) and the operator (client) to generate the payment URL

authenticator (Message authentication code). The URL authenticator (MAC) includes a

domain identifier (URL and time tracking mechanism to expire the cookie (which must

also includes a timestamp) (Col 5 lines 26-46). Gurevich et al teach the authentication

method that includes sending the encrypted data item (Para 0068) (Piece of data),

which is also called authentication message (MAC) (Para 0057), with the unencrypted

piece of data to the server for validity (Para 0068). The data item composes of the

Identification (ID) (user ID) and the server side key (server ID). Gurevich et al also

mention the user may arbitrary assign the identification data, which could be a

timestamp (Para 0069). Davis et al teach of hashing the nonce from the server and

client, and the password to create a key for decryption (Col 3 lines 65-67). Therefore, it

would have been obvious at the time of the invention was made for one having ordinary

skill in the art to modify the invention to include the MAC in Payne et al's invention,

Gurevich et al's method of sending the MAC with the data items, comprising the

timestamp, server ID, user ID, and a nonce, which is taught be Davis et al, to the server

with the ID cookie in Bachman's teaching for validation (Col 3 lines 43-59). The

incorporation will obviously create a non-replay cookie (caused by the timestamp and

the nonce) and a strong authentication process which creates great obstacle for

intruders.

26.   *Claims 29-35 are rejected under 35 U.S.C. 103(a) as being unpatentable*

over Bachman *in view of Davis et al, further in view of Gurevich et al, further in*

view of Payne et al, and further in view of Juels.

27.   As per **claim 29**, Bachman, Davis et al, Gurevich et al, and Payne et al disclose

the method as described in Claim 28. However, they do not teach the generating of the

MAC upon each request for the protected. Nevertheless, Juels does teach the method

clearly in the "Digital Coin Tracing Using trustee tokens" invention (Juels, Col 8 lines 27-

43). Therefore, it is obvious at the time of the invention was made for of ordinary skill in

the art to incorporate the method to ensure the authenticity of the message

authentication code.

28.   As per **claim 30**, Bachman, Davis et al, Gurevich et al, and Payne et al disclose

the method as described in Claim 28. However, Bachman, Davis et al, Gurevich et al,

and Payne et al do not teach the method using the symmetric key to binds the MAC to

the user identity. Nevertheless, Juels discloses the method clearly (Col 7 lines 14-26

and Col 8 line 3). The user identity is the IDv, and the MAC (Col 8 line 3) is the trustee

token Mi or coin (Col 7 lines 41-44). In Col 7 lines 14-26, Juels specifically teach the

mapping of a user's identity to the digital coin (MAC) using the symmetric key

encryption. It is obvious at the time of the invention was made to one of ordinary skill in

the art to implement the same method of Juels with Bachman, Davis et al, Gurevich et

al, and Payne et al to distinguish and identify each MAC when authenticate and at the

same increase the security to prevent imposter.

29.   As per **claim 31**, Bachman, Davis et al, Gurevich et al, and Payne et al disclose

the method as described in Claim 30. However, they do not teach the symmetric key

that is generated by applying a one-way hash function to a shared client-server key kc,

the server identity, and a nonce from the server. Nevertheless, Gurevich et al

completely teach this method and the use of it as a symmetric key (Par 0068 in the mid

paragraph). The token key and the PIN are used as an encryption key between the

server and the client. The SKP is the server side key component generated by a

random number engine, at the same is the server key or can be interpreted as server

identity (Para 0068). It would be obvious at the time of the invention was made for one

having ordinary skill in the art to combine the symmetric key generation method of

Gurevich et together with inventors in claim 4. The incorporation will successfully create

a strong and unique key to bind the authentication data securely and then transmit it to

the server for authentication (Para 0069).

30.   As per **claim 32**, Bachman, Davis et al, Gurevich et al, and Payne et al disclose

the method as described in Claims 5 and 31. The feature of the shared client-server

key generated by applying a one-way hash function to a user password is completely

anticipated by Davis et al (Col 2 lines 15-25). Davis et al teach the use of hashed

password to establish a session between the server and the client to ensure unwanted

intruders. It is obvious at the time of the invention was made for one having ordinary

skill in the art to recognize that the feature is necessary to incorporate with

authentication mechanism to a network for strengthening the security.

31.   As per **claims 33 and 34,** Bachman, Davis et al, Gurevich et al, and Payne et al

disclose the method as described in Claim 28. Bachman also explicitly teach the cookie

includes a userid, the server identity, and a URL pointing to a location at the server that

includes a script (Col 10 lines 6-25), and an access control token (Col 10 lines 11-13).

The authentication cookie (Col 9 line 55) includes a user digital certificate (userID) and

a range of URL's for which the cookie is valid (Col 9 lines 62-65). The URL is also use

to identify the server (Server Identity) (Col 10 line 51). The script is located on the proxy

server, which is in the same domain, or network as the application server or called

protected resource (Col 8 lines 15-25), also called authorization plug-in (Col 10 line 59-

61); and its job is to validate the authentication cookie. The access control token is

referred as an applications list cookie (Col 10 line 15), which includes a list of authorized

application for the user to access.

32.   As per **claim 35**, Bachman, Davis et al, Gurevich et al, and Payne et al disclose

the method as described in Claim 34 wherein the script includes code for identifying

whether a MAC is valid (Juels, Col 7 lines 35-45).

Response to Amendment

Response to applicant's argument, claims 1-35 are pending. The previous grounds of

rejection are withdrawn in view of the applicant's arguments in the amendment filed on

10/12/04. However, newly discovered prior art has necessitated new grounds of
rejection. The new grounds of rejection are presented above. The delay in citation of
the newly discovered prior art is regretted.

Conclusion

33.   Any inquiry concerning this communication from the examiner should be directed
to Linh Son whose telephone number is (571)-271-3856.

34.   If attempts to reach the examiner by telephone are unsuccessful, the examiner's
supervisor Kim Y. Vu can be reached at (571)-272-3859. The fax numbers for this
group are (703)-872-9306 (official fax). Any inquiry of general nature or relating to the
status of this application or proceeding should be directed to the group receptionist
whose telephone number is (571)-272-2100.

35.   Information regarding the status of an application may be obtained from the
Patent Application Information Retrieval IPAIR.I system. Status information for
published applications may be obtained from either Private PMR or Public PMR. Status
information for unpublished applications is available through Private PMR only. For
more information about the PAIR system, see http://pzr-direct.uspto.gov. Should you
have questions on access to the Private PAIR system, contact the Electronic Business
Center (EBC) at 866-217-9197 (toll-free).

Linh LD Son

Patent Examiner